BUTTERWORTH HEINEMANN

Index of Authors, Volume 7

Abdullah, NM, 26
Ackerman, WE, III, 75, 264
Acquadro, MA, 54
Ahern, DK, 54
Aldrete, JA, 91
Ali, HH, 31
Allison, PM, 690
Allman, KG, 197
Ament, R, 534
Amory, DW, 205
An, G, 93
Andersen, T, 457
Apfelbaum, JL, 564
Asher, EF, 75
Atallah, MM, 182
Bach, T, 141
Backus, WW, 550
Bacon, DR, 534
Barst, SM, 273
Beach, TP, 54
Bekar, A, 359
Bell, C, 219
Belsole, R, 160
Benhamou, D, 1
Bennett, JA, 288
Berry, A, 265, 297
Biro, P, 417
Blackburn, A, 103
Blakey, D, 640
Bloch, KE, 417
Block, RI, 119
Boerger, N, 109
Bosek, V, 40
Bourke, DL, 688
Braverman, B, 389
Brimacombe, JR, 265, 267, 297, 444, 688
Brodsky, RC, 640
Brown, RE, Jr, 35
Brull, SJ, 80, 647
Bulow, K, 635
Calkins, JW, 411
Campbell, CE, 151
Camus, Y, 384
Chan, VWS, 500
Cheek, TG, 316
Cheng, EY, 425
Chiaudani, MG, 177
Christie, JM, 306
Chung, F, 500
Coetzee, G, 551
Cohen, SE, 1
Colclough, GW, 264
Colinet, B, 403
Cooledge, BA, 551
Cooper, JB, 674
Cork, RC, 151
Cullen, DJ, 271, 447
D'Amico, R, 338
De Kock, M, 403
Delva, E, 384
De Maio, B, 688
De Mey, J-CJR, 453
Demian AD, 182
Den Blauwen, N, 453
Deng, X-m, 93
Devane, GG, 411
Doblar, DD, 245
Domenegati, E, 177
Donlon, JV, Jr., 54
Dubois, MY, 44
Dubose, R, 219
Eaton, WM, 422
Elliot, JL, 156
Endicott, J, 40
Enneking FK, 253
Entholzner, E, 49
Epstein, RH, 237
Fan, PH, 245
Farina, RA, 250
Farinelli, C, 281
Feinstein, D, 674
Fleisher, LA, 97
Forbes, RB, 232
Forseth, D, 507
Forstot, RM, 656
Fowles, S, 292
Fredman, B, 114
Freeman, G, 267
Frenette, L, 245
Fuhrman, TM, 250
Furst, N, 89
Furst, SR, 71
Gaba, DM, 674
Gabrielli, A, 82
Gabrielson, GV, 323
Gadde, PL, 44
Gaines, GY, 5
Gaiser, RR, 316
Gajraj, NM, 9, 192
Gallagher, TJ, 82
Gelb, AW, 448
Gerenstein, RI, 174
Gignac, EM, 448
Gir, EE, 19
Glass, PSA, 558
Goodwin, APL, 465
Greenberg, CP, 614
Greenspun, JCF, 398
Gregory, GA, 507
Greinbauer, B, 49
Griffin, JD, 186
Griswold, JD, 58
Grosz, D, 356
Guarnieri, KM, 237
Guinto, FC, Jr., 373
Gutsche, BB, 316
Gutstein, HB, 491
Hackel, A, 507
Hall, SC, 549, 600
Halter, T, 389
Hamza, J, 1
Hanaoka, Y, 14
Hannallah, M, 267
Hannallah, RS, 398, 597
Hansen, PA, 63
Hantler, CB, 89
Hargasser, S, 49
Hecht, AD, 581
Hegtvedt, RL, 119
Heine, MF, 75
Helbo-Hansen, HS, 457, 635
Henne, CR, 425
Hessel, EA, 264
Hipp, R, 49
Hogan, DF, 136
Holzman, RS, 674
Horn, B, 549
Horrow, JC, 690
Huemer, G, 359
Hughes, CW, 219
Hugo, S, 551
Hullander, RM, 477
Hunter, D, 103
Imai, M, 14
Isert, P, 357
Jackson, D, 141
Jahr, JS, 422
James, C, 338
Janis, KM, 265
Jellish, WS, 292, 643
Jensen, AG, 63
Jensen, NF, 119
Jeon, AA, 585
Jewkes, C, 126
Johnson, C, 356
Johnson, ER, 192
Johnstone, RE, 176, 544
Jones, E, 35
Joseph, MP, 54
Kalhan, SB, 357
Kaplan, V, 417
Karthaeuser, R, 403

Journal of Clinical Anesthesia 7:695–697, 1995
© 1995 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

0952-8180/95/$10.00
SSDI 0952-8180(95)00189-1

Kataria, B, 44
Kaufman, BS, 651
Kaye, AD, 422
Keeling, N.W., 136
Kelly, D, 80, 647
Kelly, JS, 367
Kemmotsu, O, 14
Keykhah, MM, 288
Kimura, H, 228
Kirkegaard-Nielsen, H, 635
Kirkham, R., 136
Klein, KW, 186
Klopfenstein, C-E, 281
Klotch, D, 40
Koblin, DD, 177
Kolotikov, LV, 19
Kopman, AF, 173
Kortis, HI, 205
Kovac, AL, 411
Kraus, PA, 647
Kreitzer, JM, 323
Kurz, A, 359
Kymer, PJ, 35
Lackner, F, 359
Lake, APJ, 551
Lawhorn, CD, 35
Layon, AJ, 82, 338
Lea, DE, 44
Lee, A, 58
Lee, T-S, 320
Leivers, D, 477
Lenhardt, R, 359
Leonetti, JP, 292
Lessin, JB, 237
Levin, A, 205
Levin, R, 205
Liang, BA, 522
Licker, M, 281
Lienhart, A, 384
Lim, YC, 245
Lindholm, P, 635
Lingaraju, N, 288
Litman, RS, 58
Liu, J, 186
Lowe, SV, 177
Lownie, SP, 448
Lubarsky, DA, 519
Lybecker, H, 63, 457
Macario, A, 176, 507
Madej, TH, 103
Maekawa, N, 211
Mahadeviah, A, 288
Malawer MM, 253
Manninen, PH, 448
Marr, AT, 237
Marsh, DS, 132
Marshall, C, 58
Martin, WJ, 312
Martinez, CR, 306
Martinez-Aguirre, E, 174
Matsumura, C, 14
Matta, BF, 132
Maurelli, M, 177
Maurer, WG, 148, 357
Maye, JP, 411
Mayer, P, 356
Mayfield, WR, 338
Mayhew, JF, 640
McCarthy, RJ, 389
McCulloch, TM, 119
McDowall, RH, 273
McKenzie, R, 141
Mecklem, D, 267
Meissner, W, 109
Mendel, HG, 237
Mendel, P, 114
Meredith, GJ, 89
Mielke, L, 49
Miguel, R., 175
Mikawa, K, 211
Millett, S, 465
Mingus, ML, 628
Møller, JT, 63
Mooney, S, 219
Moscovici, R, 474
Mulroy, MF, 622
Murdoch, JR, 292, 643
Murray, DJ, 232
Nanda, NC, 245
Narzt, E, 359
Nelson, AH, 97
Nevin, M, 132
Newell, S, 444
Nghiem, TX, 54
Nichols, J, 156
Nicolson, SC, 589
Nimphius, N, 425
Nishina, K, 211
Noonan, N., 136
Noorily, SH, 89
Norden, JM, 398
Nossaman, BD, 422
Obara, H, 211
O'Connor, TZ, 219
Oh, TH, 219
O'Hara, JF, Jr., 148
Old, S, 465
Ong, D, 500
Osterhaus, JT, 440
Ostheimer, GW, 522
Östman, LP, 9
Ouchvatkina, MK, 19
Pace, NA, 9, 192
Pagnin, A, 177
Pan, PH, 443
Parasuraman, TV, 440
Parke, TJ, 465
Parnass, SM, 389
Patterson, KW, 136
Paulus, DA, 338
Pearce, L, 35
Petersen, W, 640
Philip, BK, 555, 606
Philip, JH, 674
Pitchford, DE, 205
Pluzhnikov, MS, 19
Pollak, P, 205
Poplawski, S, 245
Prego, G, 474
Prielipp, RC, 367
Ramanathan, S, 224
Ramirez-Ruiz, M, 481
Rathmell, JP, 380
Regenbaum, S, 515
Reisner, LS, 71
Reynolds, PI, 491
Rice, ASC, 465
Ridley, M, 40
Riley, T, 141
Rinaldi, M, 177
Ritter, JW, 470
Rizzo, VL, 224
Roberts, JT, 31
Rolly, G, 26, 453
Romero, RM, 323
Rosen, C, 219
Rosenbaum, SH, 97
Roy, RC, 367
Roy, TM, 75
Rust, M, 49
Samra, SK, 373
Scher, CS, 273
Schmid, CM, 232
Scholtes, J-L, 403
Schork, MA, 373
Schwagmeier, R, 109
Schwartz, M, 474
Screiner, MS, 589
Sear, JW, 126
Seashore, J, 219
Sessler, DI, 359, 384
Severinsen, IK, 635
Shank, ES, 550
Shearrow, T, 44
Shorten, GD, 31
Sidhu, K, 515
Singh, H, 5
Small, SD, 674
Smida, M, 1
Smith, CE, 515
Smith, DB, 40
Smith, I, 441, 481, 552
Smith, MP, 148
Sommer, RM, 688
Sosis, MB, 389, 395
Staudt, SR, 237
Steinberg, D, 174
Steinfeld, O, 474
Stevens, JD, 103
Stevenson, GW, 549
Stewart, J, 288
Strashnov, VI, 19
Striebel, HW, 109
Sullivan, D, 544
Swenson, JD, 477
Tait, AR, 491
Tantisira, B, 141
Taylor, WJ, 338
Testa, LD, 326
Thalji, ZA, 643
Thrush, DN, 160, 512
Tobias, JD, 326, 525
Todd, MM, 119
Tong, S-y, 93
Touloukian, R, 219
Tran, DQ, 44
Troll, GF, 163
Truog, RD, 200

Urban, MK, 394
Valenzuela, RC, 544
Van Bastelaere, M, 26
van der Aa, JJ, 443
Van Elstraete, A, 192
Versailles, H, 403
Vetter, TR, 486
Vichitvejpaisal, P, 5
Victory, RA, 9, 192
Viscomi, CM, 380
Viswanathan, S, 151
Vitkun, SA, 550
Voisine, R, 58
Wagner, BKJ, 205
Waisel, DB, 200
Walmsley, PM, 264
Wang, X-l, 93
Wanigasekera, V, 126
Watcha, MF, 441, 552
Waters, JH, 224
Watson, G, 389
Welborn, LG, 398
Wheatley, RG, 103
White, PF, 5, 9, 114, 186, 192, 481, 556
Whitten, CW, 690
Williams, MJ, 156
Wills, RP, 622
Wilson, E, 205
Wilson, TD, 578
Wright, AJ, 347
Wu, CL, 58
Wu, Y, 320
Xue, F-s, 93
Yarker, J, 267
Young, CC, 651
Young, CJ, 564
Youngberg, JA, 422
Yurino, M, 228

BUTTERWORTH HEINEMANN

Index of Subjects, Volume 7

Authors' names follow each subject entry. Departments from which the subjects were indexed are abbreviated as follows: CC = Case Conference; CR = Case Report; ED = Editorial; GR = Grand Rounds; LE = Letter to the Editor; OC = Original Contribution; RP = Rational Pharmacology; SA = Special Article; and SR = Special Report.

A

Airway
- **grading**
  - imaging techniques and (OC) [Samra, Schork, Guinto], 373
- **intubation**
  - comparative effects of anesthetics, in modifying hemodynamic response to laryngoscopy and intubation (OC) [Singh, Vichitvejpaisal, Gaines, White], 5
  - fiberoptic, less pressor response to (OC) [Imai, Matsumura, Hanaoka, Kemmotsu], 14
  - hemodynamic effects during, in ASA I and II patients (OC), [Sear, Jewkes, Wanigasekera], 126
  - laryngoscopic, less pressor response to (OC) [Imai, Matsumura, Hanaoka, Kemmotsu], 14
  - tracheal, heart rate response following, attenuated by nebulized bupivacaine (OC) [Victory, Gajraj, Pace, Östman, White], 9
- **management**
  - in sleep apnea, (CR) [Biro, Kaplan, Bloch], 417
- **patency**
  - effect of cricoid pressure application on (OC) [Allman], 197
- preparing for unanticipated difficult airway (LE) [Sommer], 688

Alfentanil
- **intranasal**
  - pharmacokinetics of (OC) [Schwagmeier, Boerger, Meissner, Striebel], 109
- **intravenous**
  - propofol with, for diagnostic panendoscopy (OC) [Bosek, Smith, Endicott, Klotch, Ridley], 40
- **patient-controlled**
  - for extracorporeal shock wave lithotripsy (OC) [Kortis, Amory, Wagner, Levin, Wilson, Levin, Pitchford, Pollak], 205
- **propofol mixture and**
  - for outpatient surgery (LE) [Isert], 357, (Reply [Maurer, Kalhan], 357
- **suppresses coughing and agitation**
  - during emergence from isoflorane anesthesia (OC) [Mendel, Fredman, White], 114

Ambulatory anesthesia
- ambulatory general anesthesia (RA) [Philip], 606
- death during, asymptomatic undetected mediastinal mass and (CR), [Viswanathan, Campbell, Cork], 151
- **pediatric**
  - NPO before or after surgery (RA) [Schreiner, Nicolson], 589
  - parental role (RA) [Hannallah], 597

Ambulatory discharge scoring system
- for home readiness after ambulatory surgery (OC) [Chung, Chan, Ong], 500

Ambulatory surgery
- creating greater efficiency in (RA) [Hecht], 581
- global fees for managed care in (RA) [Wilson], 578
- regional anesthesia for (RA) [Greenberg], 614

Analgesia
- **balanced**
  - with intravenous ketorolac and patient-controlled morphine, following lower abdominal surgery (OC) [Blackburn, Stevens, Wheatley, Madej, Hubter], 103
- **droperidol-morphine combination in**
  - antiemetic efficacy of (OC) McKenzie, Tantasira, Jackson, Bach, Riley], 141
- **patient-controlled**
  - with alfentanil for extracorporeal shock wave lithotripsy (OC) [Kortis, Amory, Wagner, Levin, Wilson, Levin, Pitchford, Pollak], 205
  - intravenous ketorolac as adjunct to, following lower abdominal surgery (OC) [Blackburn, Stevens, Wheatley, Madej, Hubter], 103
- **postoperative**
  - transdermal fentanyl for (OC) [Van Bastelaere, Rolly, Abdullah], 26

Anesthesia
- **ambulatory**
  - death during, and asymptomatic undetected mediastinal mass (CR), [Viswanathan, Campbell, Cork], 151
- **ambulatory general** (RA) [Philip], 606
- **clonidine**
  - epidemiology of adverse hemodynamic events occurring during (OC) [De Kock, Versailles, Colinet, Karthaeuser R, Scholtes], 403
- **complete heart block and,** (LE) [Meredith, Hantler, Noorily, Furst], 88
- **conduction**
  - in Klippel-Trenaunay syndrome (CR) [Gaiser, Cheek, Gutsche), 316
- **emergence from**
  - alfentanil suppresses coughing and agitation during (OC) [Mendel, Fredman, White], 114
- **epidural**
  - failed, for Cesarean delivery, risk of high spinal anesthesia following (CR) [Furst, Reisner], 71
  - laparoscopic pelvic lymphadenectomy during (CR) [Kelly, Kraus, Brull], 647
  - for parturient with critical aortic stenosis (LE) [Colclough, Ackerman, Walmsley, Hessel], 264
  - puncture, parturient posture and (OC) [Hamza, Smida, Benhamou, Cohen], 1
  - for tubal ligation (OC) [Viscomi, Rathmell], 380
- **general**
  - antidepressant therapy and, judicious use of, (CR) [O'Hara, Jr., Maurer, Smith], 148
  - perioperative effect of end-tide isoflurane monitoring (OC) [Liu, Klein, Griffin, White], 186
  - sevoflurane vs. halothane, for general anesthesia in pediatric

Journal of Clinical Anesthesia 7:698–704, 1995
© 1995 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

0952-8180/95/$10.00
SSDI 0952-8180(95)00190-5

patients: a comparative study of vital signs, induction, and emergence (OC) [Epstein, Mendel, Guarnieri, Staudt, Lessin, Marr], 237

high spinal
risk of, following failed epidural block for Cesarean delivery (CR) [Furst, Reisner], 71

inhalation
desflurane and sevoflurane (RA) [Young, Apfelbaum], 564
pediatric for MRI (OC) [Murray, Schmoid, Forbes], 232

local anesthesia infiltration
pneumothorax and (CR) [Kaye, Eaton, Jahr, Nossaman, Youngberg], 422

management
during dynamic cardiomyoplasty (OC) [Domenegati, Maurellim Chiaudani, Pagnin, Rinaldi], 177

neurolept
for major gynecologic surgery (OC) [Jensen, Møller, Lybecker, Hansen], 63

regional
cost-effectiveness of (RA) [Greenberg], 614
recovery advantages of compared with general anesthesia: adult patients (RA) [Mingus], 628

regional ophthalmic
safe techniques and avoidance of complications (SA) [Troll], 163

risks
benefits of explaining to pediatric day surgery patient (OC) [Waisel, Truog], 200

short-term services
health policy perspective and costs (LE) [Macario], 175 (Reply [Johnstone], 175)

spinal
for outpatients (RA) [Mulroy, Wills], 622
for tubal ligation (OC) [Viscomi, Rathmell], 380

spinal phobia and
survey results of patient attitudes and preferences regarding anesthesia (OC) [Sosis, Parnass, McCarthy, Braverman, Watson, Halter], 389

stethosopes
utilization of (OC) Prielipp, Kelly, Roy], 367

supplements
for diagnostic panendoscopy (OC) [Bosek, Smith, Endicott, Klotch, Ridley], 40

thoracic epidural
cardiovascular reflexes during anesthesia induction and tracheal intubation in elderly patients (OC) [Licker, Farinelli, Klopfenstein], 281

total intravenous anesthesia
for children undergoing brief diagnostic or therapeutic procedures (OC) [McDowall, Scher, Barst], 273

Anesthesia crisis resource management
real-life simulation training in operating room crises (SA) [Holzman, Cooper, Gaba, Philip, Small, Feinstein], 674

Antibiotic therapy
and the anesthesiologist (SA) [Cheng, Nimphius, Hennen], 425

Antidepressant therapy
sufentanil–isoflurane–nitrous oxide anesthesia with, judicious use of (CR) [O'Hara, Jr., Maurer, Smith], 148

Antifibrinolytic therapy
treat whom with what? (LE) [Horrow], 690 (Reply [Whitten, Allison], 690

Aortic stenosis
epidural anesthesia for during Cesarean section (LE) [Colclough, Ackermann, Walmsley, Hessel]

Aortic valve replacement
intrauterine pregnancy and (CC) [Paulus, Layon, Mayfield, D'Amico, Taylor, James], 338

Arterial misplacement
of Swan-Ganz catheter, in a hypotensive and hypoxic COPD patient (CR) [Lee, Wu], 320

ASA status I and II patients
hemodynamic effects during induction, laryngoscopy, and intubation with eltanolone or propofol (OC) [Sear, Jewkes, Wanigasekera], 126

Atlantooccipital dislocation
pediatric,
case report (CR) [Williams, Elliott, Nichols]

B

Balanced analgesia
with intravenous ketorolac and patient-controlled morphine, following lower abdominal surgery (OC) [Blackburn, Stevens, Wheatley, Madej, Hubter], 103

Blind oral intubation
vs. direct vision (OC) [Kovac, Maye, Devane, Calkins], 411

Blood pressure
pediatric, simple method of determining (LE) [Stevenson, Horn, Hall], 549
preventive medicine and careful control of, accurate device needed for self-monitoring (LE) [Janis], 265

Bupivacaine
nebulized
attenuates heart rate response following tracheal intubation (OC) [Victory, Gajraj, Pace, Östman, White], 9
pre- vs. postincisional wound infiltration, for postoperative pain (OC) [Victory, Gajraj, Van Elstraete, Pace, Johnson, White], 192

C

Carbon dioxide (CO_2 laser
saline soaked pledget protection of tracheal tube cuffs from (OC) [Sosis], 395

Carbon monoxide
intoxication, during pregnancy (CC) [Gabrielli, Layon, Gallagher], 82

Cardiac arrest
after oxymetazoline nasal spray (CR) [Thrush], 512
during total knee replacement, using long-stem prosthesis (CC) [Enneking], 253

Cardiac output measurement
lack of agreement on technique, thermodilution and thoracic electrical bioimpedance, in two clinical settings (OC) [Atallah, Demain], 182

Cardiovascular reflexes
during anesthesia induction and tracheal intubation, in elderly patients: influence of thoracic epidural anesthesia (OC) [Licker, Farinelli, Klopfenstein], 281

Central venous monitoring
efficacy, in major head and neck surgery: a retrospective overview (OC) [Jensen, Todd, Block, Hegvedt, McCulloch], 119

Cesarean section
anterior mediastinal mass and
and failed supradiaphragmatic irradiation (CR) [Martin], 312
epidural block failure for, risk of high spinal anesthesia following (CR) [Furst, Reisner], 71

Computerized axial tomography (CAT)
to define solution spread, after stellate ganglion nerve block (OC) [Christie, Martinez], 306

Cost-effectiveness analysis
ambulatory general anesthesia (RA) [Philip], 606
antiemetic therapy for ambulatory surgery (LE) Lake, Hugo, Coetzee, Cooledge], 551 (Reply [Watcha, Smith], 552
cost comparison, labor epidural cath-

eter or spinal anesthesia for delayed postpartum tubal ligation (OC) [Viscomi, Rathmell], 380 (Reply [Parasuraman, Osterhaus [Watcha, Smith], 441)

health policy perspective and, costs of short-term anesthesia services (LE) [Macario], 175 (Reply [Johnstone], 175

modern technology and, case report (CR) [Kelly, Brull], 80

a practitioner's guide to cost behavior [Lubarsky], 519

regional (RA) [Greenberg], 614

Coughing

during emergence from isoflurane anesthesia, alfentanil suppresses (OC) [Mendel, Fredman, White], 114

Cricoid pressure application, manual

effect of on airway patency (OC) [Allman], 197

D

Desflurane

as inhalational anesthetic (RA) [Young, Apfelbaum], 564

low-flow conditions and

lower solubility recommends use of (OC) [Hargasser, Hipp, Breinbauer, Mielke, Entholzner, Rust], 49

vs. isoflurane

desflurane controls hemodynamic response to surgical stimulation more rapidly than isoflurane (OC) [Bennett, Mahadeviah, Stewart, Lingaraju, Keykah], 288

Direct vision

vs. blind oral intubation (OC) [Kovac, Maye, Devane, Calkins], 411

Doxacurium block

is not influenced by age (OC) [Claude, De Mey, Rolly, Den Blauwen], 453

Droperidol-metoclopramide comparison

pediatric postoperative vomiting and (OC) [Kymer, Brown, Lawhorn, Jones, Pearce], 35

Droperidol-morphine combination

patient-controlled analgesia, antiemetic efficacy of (OC) McKenzie, Tantasira, Jackson, Bach, Riley], 141

Droperidol-ondansetron comparison

emesis prevention and, after pediatric strabismus repair (OC) [Litman, Wu, Lee, Griswold, Voisine, Marshall], 58

Dural puncture

hearing loss after ()C) [Lybecker, Andersen, Helbo-Hansen], 457

Dynamic cardiomyoplasty

as alternative to heart transplantation, anesthesia management during (OC) [Domenegati, Maurellim Chiaudani, Pagnin, Rinaldi], 177

E

Ear, nose, and throat surgery

sevoflurane vs. halothane for (OC) [Greenspun, Hannallah, Welborn, Norden), 398

ED_{50}

is not two times an ED_{25} (LE) [Kopman], 173

Eltanolone

hemodynamic effects, during induction, laryngoscopy, and intubation, in ASA I and II patients, (OC), [Sear, Jewkes, Wanigasekera], 126

EMLA cream

vs. nitrous oxide, for pediatric venous cannulation (CO) [Vetter], 486

Endolaryngeal surgery

high-frequency jet ventilation and clinical experience with (OC) [Strashnov, Pluzhnikov, Kolotilov, Gir, Ouchvatkina], 19

Enflurane

low-flow conditions and, desflurane use recommended under (OC) [Hargasser, Hipp, Breinbauer, Mielke, Entholzner, Rust], 49

Epidural blood patch

effect of on hearing loss, in patients with severe postdural puncture headache (OC) [Lybecker, Andersen, Helbo-Hansen], 457

Esmolol

comparative effects, in modifying hemodynamic response to laryngoscopy and intubation (OC) [Singh, Vichitvejpaisal, Gaines, White), 5

Extracorporeal shock wave lithotripsy

patient-controlled analgesia and, with alfentanil (OC) [Kortis, Amory, Wagner, Levin, Wilson, Levin, Pitchford, Pollak], 205

F

Fat embolism syndrome

sudden cardiac arrest due to, during total knee replacement using long-stem prosthesis (CC) [Enneking], 253

Femoral nerve sheath

not found in cadavers ()C) [Ritter], 470

Fentanyl

postoperative transdermal, for orthopedic surgery: double-blind comparison with placebo (OC) [Van Bastelaere, Rolly, Abdullah], 26

Fiberoptic intubation

circulatory effects of new mask adapter and (OC) [Imai, Matsumura, Hanaoka, Kemmotsu], 14

videolaryngoscopy and, for assessment of patient position (OC) [Shorten, Ali, Roberts], 31

Flumazenil

midazolam-alfentanil reversed with, recovery after (OC) [Jensen, Møller, Lybecker, Hansen], 63

G

Global fees

for managed care in ambulatory surgery (RA) [Wilson], 578

Guanfacine

hemodyanic stability and, while reducing volatile anesthetic requirement (OC) [Nishina, Mikawa, Maekawa, Obara], 211

Gynecologic surgery, major

midazolam-alfentanil reversed with flumazenil for (OC) [Jensen, Møller, Lybecker, Hansen], 63

H

Halothane

low-flow conditions and

desflurane use recommended under (OC) [Hargasser, Hipp, Breinbauer, Mielke, Entholzner, Rust], 49

vs. sevoflurane

for general anesthesia in pediatric patients: a comparative study of vital signs, induction, and emergence (OC) [Epstein, Mendel, Guarnieri, Staudt, Lessin, Marr], 237

for pediatric ear, nose, and throat surgery (OC) [Greenspun, Hannallah, Welborn, Norden), 398

Head and neck surgery, major

efficacy of central venous monitoring in, retrospective overview (OC) [Jensen, Todd, Block, Hegvedt, McCulloch], 119

Health policy perspective

costs of short-term anesthesia services and (LE) [Macario], 175 (Reply [Johnstone], 175

Heart rate response

attenuation, by nebulized bupivacaine following tracheal intubation

(OC) [Victory, Gajraj, Pace, Östman, White], 9
Helicopter transfer
of a neonate (LE) [Brimacombe, De Maio], 688
Herniorrhaphy
infant apnea detection after, efficacy of (OC) [Bell, Dubose, Seashore, Touloukian, Rosen, Oh, Hughes, Mooney, O'Connor], 219
High-frequency jet ventilation
endolaryngeal surgery and, clinical experience with (OC) [Strashnov, Pluzhnikov, Kolotilov, Gir, Ouchvatkina], 19
High spinal anesthesia, risk of
following failed epidural block for Cesarean delivery (CR) [Furst, Reisner], 71
Homocystinuria
nitrous oxide anesthesia and, outcome in child (LE) [Koblin], 176 (Reply [Lowe], 176)
Hospital administration
view of operating room by (RA) [Jeon], 585
Hypotension, controlled
pharmacologic drugs for (RP) [Testa, Tobias], 326
Hypothermia
postoperative consequences of (OC) [Kurz, Sessler, Narzt, Bekar, Lenhardt, Huemer, Lackner F], 359
pre-induction skin-surface warming minimizes (OC) [Camus, Delva, Sessler, Lienhart], 384
Hypoventilation, severe
resulting from improper use of a disposable manual resuscitator (LE) [Freeman, Hannallah], 267
Hypoxemia
upper GI endoscopy and
outpatient, effects of sedation and supplemental oxygen (OC) [Patterson, Noonan, Keeling, Kirkham, Hogan], 136
Hyskon
pulmonary hemorrhage induced by (CR) [Romero, Kreitzer, Gabrielson], 323

I
Infant apnea detection, after herniorrhaphy (OC) [Bell, Dubose, Seashore, Touloukian, Rosen, Oh, Hughes, Mooney, O'Connor], 219
Interventional radiology
anesthesia for (OC [Mannine, Gignac, Gelb, Lownie], 448
Intraoperative core hypothermia
postoperative hemodynamic and thermoregulatory consequences of (OC) [Kurz, Sessler, Narzt, Bekar, Lenhardt, Huemer, Lackner F], 359
pre-induction skin-surface warming minimizes (OC) [Camus, Delva, Sessler, Lienhart], 384
Intubation
comparative effects of anesthetics
in modifying hemodynamic response to laryngoscopy and intubation (OC) [Singh, Vichitvejpaisal, Gaines, White), 5
endotracheal
difficult, radiologic imaging techniques and airway grading to predict (OC) [Samra, Schork, Guinto], 373
blind oral intubation vs. direct vision (OC) [Kovac, Maye, Devane, Calkins], 411
fiberoptic
less pressor response to (OC) [Imai, Matsumura, Hanaoka, Kemmotsu], 14
hemodynamic effects during
in ASA I and II patients(OC), [Sear, Jewkes, Wanigasekera], 126
history of difficult
elective tracheostomy for patient with (CR) [Fuhrman, Farina], 250
tracheal
cardiovascular reflexes during anesthesia induction and tracheal intubation in elderly patients (OC) [Licker, Farinelli, Klopfenstein], 281
heart rate response following, attenuated by nebulized bupivacaine (OC) [Victory,Gajraj, Pace, Östman, White], 9
videolaryngoscopy and
for assessment of patient position (OC) [Shorten, Ali, Roberts], 31
Ischemia
postoperative myocardial, etiology of cardiac morbidity or manifestation of underlying disease (OC) [Fleisher, Nelson, Rosenbaum], 97
Isoflurane
emergence from
alfentanil suppresses agitation and coughing during (OC) [Mendel, Fredman, White], 114
end-tidal concentration
does not improve titration during general anesthesia (OC) [Liu, Klein, Griffin, White], 186
low-flow conditions and
desflurane use recommended under (OC) [Hargasser, Hipp, Breinbauer, Mielke, Entholzner, Rust], 49
sufentanil–isoflurane–nitrous oxide anesthesia
general antidepressant therapy and, judicious use of (CR) [O'Hara, Jr., Maurer, Smith], 148
vs. desflurane
desflurane controls hemodynamic response to surgical stimulation more rapidly than isoflurane (OC) [Bennett, Mahadeviah, Stewart, Lingaraju, Keykah], 288

J
Journal of Clinical Anesthesia
annual report of: 1994 (ED) [Cullen], 271

K
Ketorolac
for early postoperative analgesia (OC) [Parke, Millet, Old, Goodwin, Rice], 465
intravenous, as adjunct to patient-controlled morphine following lower abdominal surgery (OC) [Blackburn, Stevens, Wheatley, Madej, Hubter], 103
propofol with, for diagnostic panendoscopy (OC) [Bosek, Smith, Endicott, Klotch, Ridley], 40
Klippel-Trenaunay syndrome
conduction anesthesia in (CR) [Gaiser, Cheek, Gutsche), 316

L
Labor epidural catheter reactivation
for delayed postpartum tubal ligation: a cost comparison (OC) [Viscomi, Rathmell], 380
Laparoscopic pelvic lymphadenectomy
during epidural anesthesia (CR) [Kelly, Kraus, Brull], 647
Laryngeal mask airway
aspiration incidence
associated with laryngeal mask airway: a meta-analysis of published literature (OC) [Brimacombe, Berry], 297
ease of insertion
comparison of (OC) [Matta, Marsh, Nevin], 132
fiberoptic intubation and
using laryngeal mask insertion (OC) [Imai, Matsumura, Hanaoka, Kemmotsu], 14
glossopexy and
in Pierre Robin sequence using (LE) [Mecklem, Brimacombe, Yarker], 267
Laryngoscopic intubation
fiberoptic intubation and, using laryngeal mask insertion (OC)

[Imai, Matsumura, Hanaoka, Kemmotsu], 14

Laryngoscopy
comparative effects of anesthetics, in modifying hemodynamic response to laryngoscopy and intubation (OC) [Singh, Vichitvejpaisal, Gaines, White), 5
hemodynamic effects during, in ASA I and II patients(OC), [Sear, Jewkes, Wanigasekera], 126

Lidocaine
comparative effects, in modifying hemodynamic response to laryngoscopy and intubation (OC) [Singh, Vichitvejpaisal, Gaines, White), 5

Lower abdominal surgery
balanced analgesia and, with intravenous ketorolac and patient-controlled morphine following (OC) [Blackburn, Stevens, Wheatley, Madej, Hubter], 103

Low-flow conditions
lower solubility and, desflurane use recommended by (OC) [Hargasser, Hipp, Breinbauer, Mielke, Entholzner, Rust], 49

M

Magnetic resonance imaging (MRI
anesthesia for, pediatric, with a low incidence of protracted post-procedure vomiting (OC) [Murray, Schmid, Forbes], 232

Manual resuscitator, disposable
severe hypoventilation resulting from improper use of (LE) [Freeman, Hannallah], 267

Mask adaptor, newly developed
fiberoptic intubation using (OC) [Imai, Matsumura, Hanaoka, Kemmotsu], 14

Mediastinal mass
asymptomatic undetected, death during ambulatory anesthesia (CR), [Viswanathan, Campbell, Cork], 151

Metoclopramide-droperidol comparison
postoperative vomiting and, pediatric (OC) [Kymer, Brown,Lawhorn, Jones, Pearce], 35

Midazolam-alfentanil
reversed with flumazenil, recovery after (OC) [Jensen, Møller, Lybecker, Hansen], 63

Middle ear surgery
propofol anesthesia for, as compared with standard anesthetic techniques (OC) [Jellish, Leonetti, Murdoch, Fowles], 292

Mivacurium infusion
recovery after prolonged (OC) [Jellish, Thalji, Murdoch], 643

Modern technology
costs of (CR) [Kelly, Brull], 80

Monoamine oxidase (MAOI) inhibitors
sufentanil–isoflurane–nitrous oxide anesthesia with, judicious use of (CR) [O'Hara, Jr., Maurer, Smith], 148

Morphine
droperidol-morphine combination
antiemetic efficacy of (OC) McKenzie, Tantasira, Jackson, Bach, Riley], 141
low dose caudal
a report of 500 cases (OC) [Mayhew, Brodsky, Blakey, Petersen], 640
patient-controlled analgesia
as adjunct to intravenous ketorolac following lower abdominal surgery (OC) [Blackburn, Stevens, Wheatley, Madej, Hubter], 103

Myocardial ischemia
postoperative, etiology of cardiac morbidity or manifestation of underlying disease (OC) [Fleisher, Nelson, Rosenbaum], 97

N

Naloxone administration
pulomary edema following, in healthy orthopedic patient (LE) [Johnson, Mayer, Grosz], 356

Nausea and vomiting
anesthesia for MRI
pediatric, with low incidence of protracted post-procedure vomiting (OC) [Murray, Schmid, Forbes], 232
droperidol-metoclopramide comparison
for postoperative vomiting in children (OC) [Kymer, Brown, Lawhorn, Jones, Pearce], 35
droperidol-morphine combination
antiemetic efficacy of (OC) McKenzie, Tantasira, Jackson, Bach, Riley], 141
droperidol-ondansetron comparison
after pediatric strabismus repair (OC) [Litman, Wu, Lee, Griswold, Voisine, Marshall], 58

Neck dissections
right or left, radical or modified, acquired QT interval changes and (OC) [Acquadro, Nghiem, Beach, Donlon, Joseph, Ahern], 54

Neostigmine
time to peak effect of (OC) Kirkegaard-Nielsen, Helbo-Hansen, Lindholm, Severinsen, Bulow], 636

Neuroleptic malignant syndrome
postoperative onset due to levodopa withdrawal (CR) [Young, Kaufman], 651

Nicardipine
applications in anesthesia practice (RP) [Tobias], 525

Nitroglycerin
comparative effects, in modifying hemodynamic response to laryngoscopy and intubation (OC) [Singh, Vichitvejpaisal, Gaines, White), 5

Nitrous oxide
arrival of in America (SA) [Wright], 347
pediatric administration, homocystinuria and (LE) [Koblin], 176 (Reply [Lowe], 176)
sufentanil–isoflurane–nitrous oxide anesthesia, general antidepressant therapy and, judicious use of (CR) [O'Hara, Jr., Maurer, Smith], 148

O

Ondansetron-droperidol comparison
emesis prevention and, after pediatric strabismus repair (OC) [Litman, Wu, Lee, Griswold, Voisine, Marshall], 58

Orthopedic surgery
postoperative analgesia and, plasma levels after transdermal fentanyl for: double-blind comparison with placebo (OC) [Van Bastelaere, Rolly, Abdullah], 26

Orthotopic liver transplantation
intraoperative transesophageal echocardiography in, in patient with hypertrophic cardiomyopathy and mitral insufficiency (CR) [lim, Doblar, Frenette, Fan, Poplawski, Nanda], 245

Outpatient surgery
pediatric ear, nose, and throat surgery (OC) [Greenspun, Hannallah, Welborn, Norden), 398
propofol and alfentanil mixture for (LE) [Isert, 357
spinal anesthesia and (RA) [Mulroy, Wills], 622
upper GI endoscopy and, hypoxemia in, effects of sedation and supplemental oxygen (OC) [Patterson, Noonan, Keeling, Kirkham, Hogan], 136

Oxygen
supplemental, and sedation for hypoxemia related to upper GI endoscopy (OC) [Patterson, Noonan, Keeling, Kirkham, Hogan], 136

P

Panendoscopy, diagnostic
supplements to propofol anesthesia for (OC) [Bosek, Smith, Endicott, Klotch, Ridley], 40

Parturient posture
epidural puncture and, posture affects distance from skin to epidural space (OC) [Hamza, Smida, Benhamou, Cohen], 1
Patient-controlled analgesia
with alfentanil
for extracorporeal shock wave lithotripsy (OC) [Kortis, Amory, Wagner, Levin, Wilson, Levin, Pitchford, Pollak], 205
droperidol-morphine combination in
antiemetic efficacy of (OC) McKenzie, Tantasira, Jackson, Bach, Riley], 141
intravenous ketorolac as adjunct to
following lower abdominal surgery (OC) [Blackburn, Stevens, Wheatley, Madej, Hubter], 103
Pediatrics
ambulatory anesthesia
NPO before or after surgery (RA) [Schreiner, Nicolson], 589
parental role (RA) [Hannallah], 597
anesthesia demographics (OM) [Macario, Hackel, Gregory, Forseth], 507
anesthesia for MRI, a low incidence of protracted post-procedure vomiting (OC) [Murray, Schmid, Forbes], 232
atlantooccipital dislocation, case report, (CR) [Williams, Elliott, Nichols], 156
droperidol and metoclopramide comparison, for postoperative vomiting (OC) [Kymer, Brown, Lawhorn, Jones, Pearce], 35
ENT surgery, sevoflurane vs. halothane for (OC) [Greenspun, Hannallah, Welborn, Norden), 398
factors that influence an anesthesiologist's decision to cancel elective surgery for the child with an upper respiratory tract infection (OC) [Tait, Reynolds, Gutstein], 491
postanesthesia recovery care (RA) [Hall], 600
preoxygenation in children, study of optimal (OC) [Xue, Tong, Wang, Deng, An], 93
risks of anesthesia, benefits of explaining (OC) [Waisel, Truog], 200
sevoflurane vs. halothane, for general anesthesia in pediatric patients: a comparative study of vital signs, induction, and emergence (OC) [Epstein, Mendel, Guarnieri, Staudt, Lessin, Marr], 237
strabismus repair, droperidol vs. ondansetron for emesis prevention after (OC) [Litman, Wu, Lee, Griswold, Voisine, Marshall], 58
total intravenous anesthesia, for children undergoing brief diagnostic or therapeutic procedures(OC) [McDowall, Scher, Barst], 273
Perioperative hypothermia
etiology and management of (SA) [Forstot], 656
Peripheral vein cannulation, routine
radial nerve injury after (CR) [Thrush, Belsole], 160
Pharmaceutical sales activities
managing, in academic anesthesiology department [Johnstone, Valenzuela, Sullivan], 544
Phrenic nerve injury
after scalenectomy, thoracic outlet obstruction and (CR) [Heine, Asher, Roy, Ackerman], 75
Pledget protection
of tracheal tube cuffs from CO_2 laser (OC) [Sosis], 395
Pneumothorax
local anesthesia infiltration and (CR) [Kaye, Eaton, Jahr, Nossaman, Youngberg], 422
Positive end-expiratory pressure
effect on delivered tidal volume (LE) [Pan, van der Aa], 443
5β-Pregnanolone
hemodynamic effects, during induction, laryngoscopy, and intubation, in ASA I and II patients, (OC) [Sear, Jewkes, Wanigasekera], 126
Pregnancy
carbon monoxide intoxication during, molecular mechanisms (CC) [Gabrielli, Layon, Gallagher], 82
intrauterine, aortic valve replacement and (CC) [Paulus, Layon, Mayfield, D'Amico, Taylor, James], 338
Pre-induction skin-surface warming
minimizes intraoperative core hypothermia (OC) [Camus, Delva, Sessler, Lienhart], 384
Preoxygenation
pediatric, study of optimal (OC) [Xue, Tong, Wang, Deng, An], 93
Pressor response, lessened
to fiberoptic intubation (OC) [Imai, Matsumura, Hananoka, Kemmotsu], 14
Priming principle
low dose of vecuronium and (LE) [Gerenstein, Steinberg, Martinez-Aguirre, 173 (Reply [Miguel], 174
Propofol
alfentanil mixture and
for outpatient surgery (LE) [Isert], 357
analgesics with (OC) [Ramirez-Ruiz, Smith I, White], 481
for middle ear surgery
as compared with standard anesthetic techniques (OC) [Jellish, Leonetti, Murdoch, Fowles], 292
hemodynamic effects
during induction, laryngoscopy, and intubation, in ASA I and II patients, (OC) [Sear, Jewkes, Wanigasekera], 126
supplements to
for diagnostic panendoscopy (OC) [Bosek, Smith, Endicott, Klotch, Ridley], 40
Pulmonary edema
following naloxone administration in healthy orthopedic patient (LE) [Johnson, Mayer, Grosz], 356
Pulmonary hemorrhage
Hyskon-induced (CR) [Romero, Kreitzer, Gabrielson], 323

Q
QT interval changes, acquired
neck dissections and (OC) [Acquadro, Nghiem, Beach, Donlon, Joseph, Ahern], 54

R
Radial nerve injury
routine peripheral vein cannulation and, nerve laceration and neuroma development (CR) [Thrush, Belsole], 160
Radiologic imaging techniques
airway grading and, to predict difficult endotracheal intubation (OC) [Samra, Schork, Guinto], 373
Reflective blankets
and intraoperative heat conservation (LE) [Bourke], 688
Regional ophthalmic anesthesia
safe techniques and avoidance of complications, familiarization with (SA) [Troll], 163
Remifentamil
a new opioid (RA) [Glass], 558
Roconurium
pharmacodynamics of, with and without prior administration of succinylcholine (OC) [Dubois, Lea, Kataria, Gadde, Tran, Shearrow], 44

S
Saline soaked pledget protection
of tracheal tube cuffs from CO_2 laser (OC) [Sosis], 395
Scalenectomy
phrenic nerve injury after, thoracic outlet obstruction and (CR)

[Heine, Asher, Roy, Ackerman], 75

Scopolamine
epidural, for nausea after morphine (OC) [Moscovici, Prego, Schwartz, Steinfeld], 474

Sedation
supplemental oxygen and, for hypoxemia related to upper GI endoscopy (OC) [Patterson, Noonan, Keeling, Kirkham, Hogan], 136

Sevoflurane
efficient inspired concentration of
for vital capacity rapid inhalation induction (VCRII) technique (RA) [Yurino, Kimura], 228
as inhalational anesthetic (OC) [Young, Apfelbaum], 564
vs. halothane
for general anesthesia in pediatric patients: a comparative study of vital signs, induction, and emergence (OC) [Epstein, Mendel, Guarnieri, Staudt, Lessin, Marr], 237
for pediatric ear, nose, and throat surgery (OC) [Greenspun, Hannallah, Welborn, Norden), 398

Sleep apnea
airway management in (CR) [Biro, Kaplan, Bloch], 417

Spinal phobia
survey results of patient attitudes and preferences regarding anesthesia (OC) [Sosis, Parnass, McCarthy, Braverman, Watson, Halter], 389

Stellate ganglion nerve block
solution spread after, computerized axial tomography to define distribution of (OC) [Christie, Martinez], 306

Stethosopes
esophageal or precordial, utilization of (OC) Prielipp, Kelly, Roy], 367

Strabismus surgery
pediatric emesis prevention after
droperidol vs. ondansetron for (OC) [Litman, Wu, Lee, Griswold, Voisine, Marshall], 58
premedicant for
droperidol-metoclopramide comparison for postoperative vomiting in children (OC) [Kymer, Brown, Lawhorn, Jones, Pearce], 35

Succinylcholine
roconurium pharmacodynamics and (OC) [Dubois, Lea, Kataria, Gadde, Tran, Shearrow], 44

Sufentanil, intrathecal
and isoflurane requirements (OC) [Swenson, Hullander, Leivers], 477

Sufentanil–isoflurane–nitrous oxide anesthesia
general antidepressant therapy and, monoamine oxidase inhibitor and tricyclic antidepressant, judicious use of, (CR) [O'Hara, Jr., Maurer, Smith], 148

Swan-Ganz catheter
arterially misplaced (CR) [Lee, Wu], 320

T

Thermodilution
thoracic electrical bioimpedance and, in two clinical settings (OC) [Atallah, Demain], 182

Thermoregulatory consequences
of intraoperative core hypothermia (OC) [Kurz, Sessler, Narzt, Bekar, Lenhardt, Huemer, Lackner F], 359

Thiopental
re-evaluation of, in ability to identify CSF, in epidural catheter aspirate (OC) [Waters, Rizzo, Ramanathan], 224

Thoracic bioimpedance
thermodilution and, in two clinical settings (OC) [Atallah, Demain], 182

Thoracic outlet obstruction
scalenectomy in, phrenic nerve injury following (CR) [Heine, Asher, Roy, Ackerman], 75

Total knee replacement
sudden anesthetic cardiac arrest due to, during procedure using longstem prosthesis (CC) [Enneking], 253

Tracheal rings
congenital complete (LE) [Shank, Backus, Vitkun), 550

Tracheal tube cuffs
pledget protection of, from CO_2 laser (OC) [Sosis], 395

Tracheal tube mount, modified
for sampling gases from the distal shaft of the laryngeal mask airway (LE) [Newell, Brimmacombe], 444

Tracheostomy, elective
for patient with history of difficult intubation (CR) [Fuhrman, Farina], 250

Transesophgeal echocardiography
for hypertrophic cardiomyopathy and mitral insuffiency, in liver transplant (CR) [Lim, Doblar, Frenette, Fan, Poplawski, Nanda], 245

Transient neonatal myasthenia
and pyloric stenosis (CR) [Regenbaum, Sidhu, Smith], 515

Tricyclic antidepressants
sufentanil–isoflurane–nitrous oxide anesthesia with, judicious use of (CR) [O'Hara, Jr., Maurer, Smith], 148

Tubal ligation
delayed postpartum, epidural or spinal anesthesia for (OC) [Viscomi, Rathmell], 380

U

Upper respiratory tract infection, pediatric, cancelling elective surgery for (OC) [Tait, Reynolds, Gutstein], 491

V

Vecuronium, low dose
priming principle and (LE) [Gerenstein, Steinberg, Martinez-Aguirre, 173 (Reply [Miguel], 174

Videolaryngoscopy
fiberoptic intubation and, for assessment of patient position (OC) [Shorten, Ali, Roberts], 31

Vital capacity rapid inhalation induction (VCRII) technique
efficient isnpired sevoflurane concentration for, with respect to induction times, characteristics, and acceptability (OC) [Yurino, Kimura], 228

W

Waters, Ralph (SA) [Bacon, Ament], 534